# 71130

Submitted by billnbdadmin on Fri, 07/19/2013 - 10:33

## Product type:

- Audio Transformers

## Price:

61.020

## Secondary Impedance Ohms Split Windings SER:

120 ct

## Primary Impedance Ohms:

400.000

## Secondary Impedance Ohms Split Windings PAR:

30.000

## Power Watts 1 KHz and higher:

0.400

## Power Watts 400 Hz and higher:

0.075

## Primary Unbalanced DC Current ma:

5.000

## Primary DC Resistance Ohms:

40.000

## Secondary DC Resistance Ohms SER CONN:

14.000

## Secondary DC Resistance Ohms PAR CONN:

3.500

## Turns Ratio Prim/Sec SEC SER CONN:

1.83:1

## Turns Ratio Prim/Sec SEC PAR CONN:

3.65:1

## Product Sub-type:

- Surface Mount Gull Lead Square

## Terminals:

- Surface Mount

## Frequency:

- 1 KHz
- 400 Hz

## Series:

- Series 71000 and 81000

## Primary Impedance Ohms_text:

400 ct

## Frequency Response Range:

- 400 Hz to 100 KHz

## Frequency Response:

3

## Maximum Voltage at 1 KHz (Volt):

12.65

## Maximum Voltage at 400 Hz (Volt):

5.48

## Custom Link:

13353