

**78065**

Submitted by billnbdadmin on Mon, 07/22/2013 - 12:37

**Product type:**

- [Audio Transformers](#)

**Price:**

69.100

**Secondary Impedance Ohms Split Windings SER:**

12 ct

**Primary Impedance Ohms:**

150.000

**Secondary Impedance Ohms Split Windings PAR:**

3.000

**Power Watts 1 KHz and higher:**

0.400

**Power Watts 300 Hz and higher:**

0.050

**Primary Unbalanced DC Current ma:**

8.200

**Primary DC Resistance Ohms:**

12.500

**Secondary DC Resistance Ohms SER CONN:**

1.400

**Secondary DC Resistance Ohms PAR CONN:**

0.350

**Turns Ratio Prim/Sec SEC SER CONN:**

3.54:1

**Turns Ratio Prim/Sec SEC PAR CONN:**

7.08:1

**Product Sub-type:**

- [Surface Mount Gull Lead Square](#)

**Terminals:**

- [Surface Mount](#)

## Frequency:

- [1 KHz](#)
- [300 Hz](#)

## Series:

- [Series 78000](#)

## Primary Impedance Ohms\_text:

150 ct

## Frequency Response Range:

- [300 Hz to 200 KHz](#)

## Frequency Response:

2

## Maximum Voltage at 1 KHz (Volt):

7.75

## Maximum Voltage at 300 Hz (Volt):

2.74

## Custom Link:

13351