# 70185

Submitted by billnbdadmin on Mon, 07/22/2013 - 17:15

## Product type:

- Audio Transformers

## Price:

76.520

## Secondary Impedance Ohms Split Windings SER:

500 ct

## Primary Impedance Ohms:

500.000

## Secondary Impedance Ohms Split Windings PAR:

0.000

## Power Watts 1 KHz and higher:

0.125

## Power Watts 400 Hz and higher:

0.020

## Primary Unbalanced DC Current ma:

1.600

## Primary DC Resistance Ohms:

54.000

## Secondary DC Resistance Ohms SER CONN:

65.000

## Secondary DC Resistance Ohms PAR CONN:

0.000

## Turns Ratio Prim/Sec SEC SER CONN:

1:01

## Turns Ratio Prim/Sec SEC PAR CONN:

-

## Product Sub-type:

- Surface Mount Gull Lead Square

## Terminals:

- Surface Mount

## Frequency:

- 1 KHz
- 400 Hz

## Series:

- Series 70000 and 80000

## Primary Impedance Ohms_text:

*500 ct

## Frequency Response Range:

- 400 Hz to 250 KHz

## Frequency Response:

3

## Maximum Voltage at 1 KHz (Volt):

7.91

## Maximum Voltage at 400 Hz (Volt):

3.16

## Custom Link:

13352