

## **RPS-77720**

Submitted by billnbdadmin on Tue, 05/10/2016 - 23:12

### **Product type:**

- [Audio Transformers](#)

### **Price:**

61.590

### **Secondary Impedance Ohms Split Windings SER:**

1000 ct

### **Primary Impedance Ohms:**

25.000

### **Secondary Impedance Ohms Split Windings PAR:**

250.000

### **Power Watts 1 KHz and higher:**

0.400

### **Primary Unbalanced DC Current ma:**

0.600

**Primary DC Resistance Ohms:**

2470.000

**Secondary DC Resistance Ohms SER CONN:**

106.000

**Secondary DC Resistance Ohms PAR CONN:**

27.000

**Turns Ratio Prim/Sec SEC SER CONN:**

5:01

**Turns Ratio Prim/Sec SEC PAR CONN:**

10:01

**Product Sub-type:**

- [Surface Mount Gull Lead Round](#)

**Primary Impedance Ohms\_text:**

25,000 ct

**Frequency Response Range:**

- [150 Hz to 75 KHz](#)

## Frequency Response:

3

**Maximum Voltage at 1 KHz (Volt):**

100.00

**Maximum Voltage at 400 Hz (Volt):**

100.00

**Maximum Voltage at 150 Hz (Volt):**

52.44