

## **RPS-77735**

Submitted by billnbdadmin on Tue, 05/10/2016 - 23:12

### **Product type:**

- [Audio Transformers](#)

### **Price:**

62.190

### **Secondary Impedance Ohms Split Windings SER:**

5000 ct

### **Primary Impedance Ohms:**

30.000

### **Secondary Impedance Ohms Split Windings PAR:**

1250.000

### **Power Watts 1 KHz and higher:**

0.330

### **Primary Unbalanced DC Current ma:**

0.500

**Primary DC Resistance Ohms:**

2730.000

**Secondary DC Resistance Ohms SER CONN:**

620.000

**Secondary DC Resistance Ohms PAR CONN:**

155.000

**Turns Ratio Prim/Sec SEC SER CONN:**

2.45:1

**Turns Ratio Prim/Sec SEC PAR CONN:**

4.9:1

**Product Sub-type:**

- [Surface Mount Gull Lead Round](#)

**Primary Impedance Ohms\_text:**

30,000 ct

**Frequency Response Range:**

- [150 Hz to 75 KHz](#)

## Frequency Response:

3

**Maximum Voltage at 1 KHz (Volt):**

99.50

**Maximum Voltage at 400 Hz (Volt):**

99.50

**Maximum Voltage at 150 Hz (Volt):**

57.45