

## **RPS-83575**

Submitted by billnbdadmin on Tue, 05/10/2016 - 23:12

### **Product type:**

- [Audio Transformers](#)

### **Price:**

74.080

### **Secondary Impedance Ohms Split Windings SER:**

200 ct

### **Primary Impedance Ohms:**

50.000

### **Secondary Impedance Ohms Split Windings PAR:**

50.000

### **Power Watts 1 KHz and higher:**

0.200

### **Primary Unbalanced DC Current ma:**

0.400

**Primary DC Resistance Ohms:**

4000.000

**Secondary DC Resistance Ohms SER CONN:**

22.000

**Secondary DC Resistance Ohms PAR CONN:**

5.500

**Turns Ratio Prim/Sec SEC SER CONN:**

15.8:1

**Turns Ratio Prim/Sec SEC PAR CONN:**

31.6:1

**Power Watts 50 Hz and higher:**

0.030

**Product Sub-type:**

- [Surface Mount Gull Lead Round](#)

**Primary Impedance Ohms\_text:**

50,000 ct

## Frequency Response Range:

- [50 Hz to 30 KHz](#)

## Frequency Response:

3

### Maximum Voltage at 1 KHz (Volt):

100.00

### Maximum Voltage at 300 Hz (Volt):

100.00

### Maximum Voltage at 50 Hz (Volt):

38.73