

## Y-27655

Submitted by billnbdadmin on Tue, 07/23/2013 - 08:59

### **Product type:**

- [Audio Transformers](#)

### **Price:**

67.160

### **Secondary Impedance Ohms Split Windings SER:**

500 ct

### **Primary Impedance Ohms:**

50000.000

### **Secondary Impedance Ohms Split Windings PAR:**

125.000

### **Power Watts 1 KHz and higher:**

0.050

### **Power Watts 400 Hz and higher:**

0.050

**Power Watts 300 Hz and higher:**

0.050

**Primary Unbalanced DC Current ma:**

0.450

**Primary DC Resistance Ohms:**

5000.000

**Secondary DC Resistance Ohms SER CONN:**

60.000

**Secondary DC Resistance Ohms PAR CONN:**

15.000

**Turns Ratio Prim/Sec SEC SER CONN:**

10:01

**Turns Ratio Prim/Sec SEC PAR CONN:**

20:01

**Product Sub-type:**

- [Thru Hole](#)

## Frequency:

- [1 KHz](#)
- [400 Hz](#)
- [300 Hz](#)

## Series:

- [Series Y](#)

## Primary Impedance Ohms\_text:

50,000 ct

## Frequency Response Range:

- [300 Hz to 100 KHz](#)

## Frequency Response:

3

## Maximum Voltage at 1 KHz (Volt):

50.00

## Maximum Voltage at 400 Hz (Volt):

50.00

## Maximum Voltage at 300 Hz (Volt):

50.00

**Custom Link:**

13248