

## W-26535

Submitted by billnbdadmin on Tue, 07/23/2013 - 10:58

### **Product type:**

- [Audio Transformers](#)

### **Price:**

60.010

### **Secondary Impedance Ohms Split Windings SER:**

15,000 ct

### **Primary Impedance Ohms:**

15000.000

### **Secondary Impedance Ohms Split Windings PAR:**

3750.000

### **Power Watts 1 KHz and higher:**

0.160

### **Power Watts 400 Hz and higher:**

0.075

**Primary Unbalanced DC Current ma:**

0.820

**Primary DC Resistance Ohms:**

1500.000

**Secondary DC Resistance Ohms SER CONN:**

1800.000

**Secondary DC Resistance Ohms PAR CONN:**

450.000

**Turns Ratio Prim/Sec SEC SER CONN:**

1:01

**Turns Ratio Prim/Sec SEC PAR CONN:**

2:01

**Product Sub-type:**

- [Thru Hole](#)

**Frequency:**

- [1 KHz](#)
- [400 Hz](#)

## Series:

- [Series W](#)

## Primary Impedance Ohms\_text:

15,000 ct

## Frequency Response Range:

- [400 Hz to 100 KHz](#)

## Frequency Response:

3

## Maximum Voltage at 1 KHz (Volt):

48.99

## Maximum Voltage at 400 Hz (Volt):

33.54

## Custom Link:

13247